

1. Product-type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4) :

WC pan(s)

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Personal hygiene (PH)

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

Gruppo Sanitari Italia S.p.A.

S.P. 150, Km 3,125

01035 Gallese (Viterbo), Italia

Tel. +39 0761 4911

Fax. +39 0761 496111

Email. info@gsiceramica.it

4. Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2):

Not applicable

5. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Regulation (EU) No. 305/2011 (CPR), Annex V:

System 4

6. In case of the declaration of performance concerning a construction product covered by a harmonized standard:


EN 997 2012

Mario Rossi – CEO

(Name and function)

Gallese – 01/08/2022

(place and date of issue)


(signature)

7. Notified Body: not applicable

8. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Capacity of flushing water (CF)	Pass	EN 997:2012
Backflow prevention (BP)	Pass	
Cleanability(CA)	Pass	
Load resistance (LR)	Pass	
Water leaktightness (WL)	Pass	
Valve reliability (VR)	Pass	
Durability (DA)	Pass	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.
This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.


The performances declared by the producer are guaranteed with the flushing devices indicated in the attached chart.

Mario Rossi – CEO

(Name and function)

Gallese – 01/08/2022

(place and date of issue)



(signature)

Signed for and on behalf of the manufacturer by:

Product no.	Name	Product-type	Device of flushing water	Designation code	Characteristics	Capacity of flushing water
9110	City	Back to wall wc	Geberit Sigma 8cm / 109.770.00.1	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9114	City	Back to wall wc	Geberit Sigma 8cm / 109.770.00.1	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9118	City	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9119	City	Back to wall wc	Geberit Sigma 8cm / 109.770.00.1	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9318	City new	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9314	City new	Back to wall wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8710	Classic	Back to wall wc	Geberit Sigma 8cm / 109.770.00.1	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8711	Classic	Back to wall wc	Geberit Sigma 8cm / 109.770.00.1	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8712	Classic	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8717	Classic	Close coupled Wc	Geberit Type 280-380 / 273.328.KG.1	EN 997 CL 1 6/5A	WL - CF - BP - CA - VR - LR - DA	3/6 lt
7615	Community	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
7618	Community	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	6 lt
7697	Community	Urinal	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	1,3 lt
8912	Kube	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8915	Kube	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	6 lt
8916	Kube	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	6 lt
8918	Kube	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9415	Kube X	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9416	Kube X	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9418	Kube X	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	6 lt

Mario Rossi – CEO

(Name and function)

Gallese – 01/08/2022

(place and date of issue)


(signature)

Product no.	Name	Product-type	Device of flushing water	Designation code	Characteristics	Capacity of flushing water
9410	Kube X	Back to wall wc	Geberit Sigma 8cm / 109.770.00.1	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
7418	WClean	Wall-hung Wc	Geberit Type UP 11 / 111.698.00.1	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8610	Norm	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8612	Norm	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8614	Norm	Back to wall wc	Geberit Sigma 8cm / 109.770.00.1	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8615	Norm	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8616	Norm	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8617	Norm	Close coupled Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 6/5A	WL - CF - BP - CA - VR - LR - DA	3/6 lt
8618	Norm	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8697F11	Norm	Urinal	Geberit Duofix 111.616.00.1	EN 13407 –CL 1 - I	BP - CA - LR - DA	1,3 lt
7697	Pura	Urinal	Geberit Duofix 111.616.00.1	EN 13407 –CL 1 - I	BP - CA - LR - DA	1,3 lt
8810	Pura	Back to wall wc	Geberit Sigma 8cm / 109.770.00.1	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	6 lt
8803	Pura	Back to wall wc	Geberit Sigma 8cm / 109.770.00.1	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8804	Pura	Back to wall wc	Geberit Sigma 8cm / 109.770.00.1	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8811	Pura	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	6 lt
8812	Pura	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8814	Pura	Back to wall wc	Geberit Sigma 8cm / 109.770.00.1	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8815	Pura	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8802	Pura	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8821	Pura	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8816	Pura	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A – CL 2	WL - CF - BP - CA - LR - DA	4,5 lt

Mario Rossi – CEO

(Name and function)

Gallese – 01/08/2022

(place and date of issue)



(signature)

Product no.	Name	Product-type	Device of flushing water	Designation code	Characteristics	Capacity of flushing water
8817	Pura	Close coupled Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 6/5A	WL - CF - BP - CA - VR - LR - DA	3/6 lt
8806	Pura	Close coupled Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 6/5A	WL - CF - BP - CA - VR - LR - DA	3/6 lt
8818	Pura	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A - CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8819	Pura	Back to wall wc	Geberit Sigma 8cm / 109.770.00.1	EN 997 CL 1 4/5A - CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8820	Pura	Back to wall wc	Geberit Sigma 8cm / 109.770.00.1	EN 997 CL 1 4/5A - CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
8897	Pura	Urinal	Geberit Duofix 111.616.00.1	EN 13407 -CL 1 - I	BP - CA - LR - DA	1,3 lt
8809	Pura	Back to wall wc	Geberit Sigma 8cm / 109.770.00.1	EN 997 CL 1 4/5A - CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9010	Sand	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A - CL 2	WL - CF - BP - CA - LR - DA	6 lt
9012	Sand	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A - CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9014	Sand	Back to wall wc	Geberit Sigma 8cm / 109.770.00.1	EN 997 CL 1 4/5A - CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9015	Sand	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A - CL 2	WL - CF - BP - CA - LR - DA	6 lt
9016	Sand	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A - CL 2	WL - CF - BP - CA - LR - DA	6 lt
9018	Sand	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A - CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9118	City pro	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A - CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9115	City pro	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A - CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9116	City pro	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A - CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9615	Nubes	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A - CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9610	Nubes	Back to wall wc	Geberit Sigma 8cm / 109.770.00.1	EN 997 CL 1 4/5A - CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9816	Modo	Wall-hung Wc	Geberit Type UP 320 / 110.358.0.0.5	EN 997 CL 1 4/5A - CL 2	WL - CF - BP - CA - LR - DA	4,5 lt
9810	Modo	Back to wall wc	Geberit Sigma 8cm / 109.770.00.1	EN 997 CL 1 4/5A - CL 2	WL - CF - BP - CA - LR - DA	4,5 lt

Mario Rossi – CEO

(Name and function)

Gallese – 01/08/2022

(place and date of issue)



(signature)